POPULATION ESTIMATES	LONG-TERM	CARE	LOCAL HEALTH DEPARTMENTS			
Total 2003 Population Population per square mile	30	Community Options and as HSRS reports costs	for services	Staffing - FTE Numb Total staff 5	Per 10,000 er Population .1 2.9	
County ranking in state (1- Age Female Male	-72) 54 Total 3, 290 1, 410 1, 090	Client COP 1 MA Waiver * CIP1A CIP1B 5	S Costs 2 \$147, 121 8 \$402, 480 7 \$1, 042, 226 3 \$447, 079	Total staff 5 Administrative 0 Public health nurses 1 Other prof. staff 2 Technical/Paraprof. Support staff 1	.8 0.5 .0 0.6 .0 1.1 0.7	
25-29 370 450 30-34 450 450 35-39 540 540 40-44 660 640	820 900 1, 080 1, 300	MA Waiver * CIP1A CIP1B 5 CIP2 4 COP-W 6 CSLA Brain Injury Total COP/Wvrs 18	\$327, 149 0 \$0 0 \$0 4 \$2, 218, 933			
45-54 1, 340 1, 350 55-64 1, 000 980	2, 690 1, 990	\$127,441 of the ab	ove wai ver costs	LI CENSED ESTABLIS		
55-64 1,000 980 65-74 680 670 75-84 560 410 85+ 280 120 Total 8,540 8,740	1, 350 970 400 17, 290	were paid as local m using COP funds. Th not included in abov	atch/overmatch is amount is e COP costs.	Type Capaci Bed & Breakfast Camps 1,4 Hotels, Motels 4 Tourist Rooming Pools	ty Facilities 26 9 68 10 78 19	
Age Female Male 0-17 1,940 2,120 18-44 2,730 3,100 45-64 2,340 2,330	Total 4, 060 5, 830	* Waiver costs repor include federal fun Client	ding. S Costs	Pools Restaurants Vending	9 4 14 112 0	
65+ 1,520 1,200	4, 680 2, 720 17, 290	Eligible and Waiting (Family Care not prov		WIC PARTICIPAN	TS	
Poverty Estimates for 2000		(raining care not prov	raca in county)	wid TAKITOTTAN		
Estimate (C. All ages 1,755 10.2% Ages 0-17 590 13.1%	. 1 . +/-) 122 (7%) 59 (10%)	Note: Eligible and wa will be phased into Waivers as availabl	the COP and MA	Pregnant/Postpartum Infants Children, age 1-4 Total	174	
EMPLOYMENT				CANCER INCIDENCE	(2002)	
Average wage for jobs covered by unemployment compensation (place of work)	\$23, 211 Annual	Home Health Agencies Patients Patients per 10,000	223 pop. 129	Pri mary Si te Breast Cervi cal Col orectal	20 1 7	
Labor Force Estimates Civilian Labor Force Number employed Number unemployed Unemployment rate	Average	Nursing Homes Licensed beds Occupancy rate Residents on Dec. 31	121	Lung and Bronchus Prostate Other sites Total	17 12 36 93	
Number unemployed Unemployment rate	586 6. 2%	Residents age 65 or per 1,000 populatio	ol der	Note: Totals shown are for invasive cancers onl		

			NATA	ALITY				
TOTAL LIVE BIRTHS		224	Birth Order	Bi rths	Percent	Marital Status		
			First	76	34	of Mother	Bi rths	Percent
Crude Live Birth Rate		13. 0	Second	72	32	Marri ed	161	72
General Fertility Rat	te	72. 8	Thi rd	42	19	Not married	63	28
			Fourth or higher	34	15	Unknown	0	0
Live births with repo	orted	4 0 40/	Unknown	0	0	E		
congenital anomalies		1 0.4%				Education	D: .adda.a	Da
Dolivery Type	D: mtha	Damaant	1ot December 1 Vicit	D: otho	Donoont	of Mother	Bi rths	Percent
Delivery Type Vaginal after	Births	Percent	1st Prenatal Visit 1st trimester	180	Percent 80	Elementary or le Some high school	ss 3 17	1 8
previous cesarean	3	1			17	High school	83	3 7
Forceps	3	1	3rd trimester	Δ ₁	2	Some college	62	28
Other vaginal	161	72	No visits	39 4 1 0	<. 5	College graduate		26
Pri mary cesarean	161 30	13	Unknown	Ò	`. 0	Unknown	Ő	0
Repeat cesarean	27	12	3 1	· ·	· ·	3 1	· ·	· ·
			Prenatal Visits	Bi rths	Percent	Smoking Status		
Birthweight	Bi rths	Percent	No visits	1	<. 5	of Motȟer	Bi rths	Percent
		1. 8	1-4	6	3	Smoker	33	15
1,500-2,499 gm	4 16 204 0	7. 1	5-9	38	17	Nonsmoker	191	85
2, 500+ gm	204	91. 1	10-12	120	54	Unknown	0	0
Unknown	0	0	13+	59	26			
			Unknown	0	0			
			Low Rirthweight		Tri mest	er of First Prenata	l Vicit	
			Low Birthweight	1st Tr	Trimest imester	er of First Prenata	l Visit Other∕	'Unknown
Race/Ethni ci ty	Births F	Percent	(under 2,500 gm)	1st Tr Births	imester	2nd Trimester	Other/	'Unknown Percent
Race/Ethni ci ty Whi te	Births F 222	Percent 99	Low Birthweight (under 2,500 gm) Births Percent 20 9.0	1st Tr Births 180	Tri mest i mester Percent 81	2nd Trimester	Other/	'Unknown Percent 2
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can	222 0	99 0	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian	222 0 1	99 0 - 5	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian	222 0 1	99 0 - 5	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian	222 0 1	99 0 - 5	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian	222 0	99 0 - 5	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian	222 0 1	99 0 - 5	(under 2,500 gm) Births Percent 20 9.0	Bi rths	i mester Percent 81	2nd Trimester Births Percent 37 17	Other/ Bi rths 5 *	Percent
White Black/Afr. American American Indian	222 0 1 1 0 0	99 0 <. 5 <. 5 0 0	(under 2,500 gm) Births Percent 20 9.0	Bi rths 180 *	imester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 *	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	222 0 1 1 0 0	99 0 <.5 <.5 0 0	(under 2,500 gm) Births Percent 20 9.0 * * * * Low Birthweight (under 2,500 gm)	Bi rths 180 *	i mester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * *	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother	222 0 1 1 0 0	99 0 <. 5 <. 5 0 0	(under 2,500 gm) Births Percent 20 9.0	Bi rths 180 * *	imester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * *	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	222 0 1 1 0 0 Fe Bi rths	99 0 <.5 <.5 0 0 ertility Rate	(under 2,500 gm) Births Percent 20 9.0 * * * * Low Birthweight (under 2,500 gm)	Bi rths 180 *	i mester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * *	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	222 0 1 1 0 0 Fe Bi rths 0 4 12	99 0 <.5 <.5 0 0 	(under 2,500 gm) Births Percent 20 9.0 * * * * * * * * * * * * * * * * * *	Bi rths 180	i mester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * *	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	222 0 1 1 0 0 Fe Bi rths 0 4 12 55	99 0 <.5 <.5 0 0 ertility Rate 12 46 122	(under 2,500 gm) Births Percent 20 9.0 Low Birthweight (under 2,500 gm) Births Percent 7 12.7	Bi rths 180	i mester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * * 	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	222 0 1 1 0 0 Fe Bi rths 0 4 12 55 75	99 0 <.5 <.5 0 0 ertility Rate 12 46 122 205	(under 2,500 gm) Births Percent 20 9.0 * * * * * * * * * * * * * * * * * *	Bi rths 180	i mester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * *	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	222 0 1 1 0 0 	99 0 <.5 <.5 0 0 ertility Rate 12 46 122 205 103	(under 2,500 gm) Births Percent 20 9.0 Low Birthweight (under 2,500 gm) Births Percent 7 12.7 11 14.7	Bi rths 180	i mester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * * 	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	222 0 1 1 0 0 	99 0 <.5 <.5 0 0 ertility Rate 12 46 122 205 103 50	(under 2,500 gm) Births Percent 20 9.0 Low Birthweight (under 2,500 gm) Births Percent 7 12.7 11 14.7	Bi rths 180	i mester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * * 	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	222 0 1 1 0 0 Fe Bi rths 0 4 12 55 75 46 27 5	99 0 <.5 <.5 0 0 ertility Rate 12 46 122 205 103 50 8	(under 2,500 gm) Births Percent 20 9.0 Low Birthweight (under 2,500 gm) Births Percent 7 12.7 11 14.7	Bi rths 180	i mester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * * 	Percent 2
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	222 0 1 1 0 0 	99 0 <.5 <.5 0 0 ertility Rate 12 46 122 205 103 50	(under 2,500 gm) Births Percent 20 9.0 Low Birthweight (under 2,500 gm) Births Percent 7 12.7 11 14.7 2 7.4	Bi rths 180	i mester Percent 81	2nd Trimester Births Percent 37 17 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * * 	Percent 2

MORBIDITY			MOI	RTALLTY				
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.							
Di sease Number Campyl obacter Enteritis <5 Gi ardi asis <5 Hepatitis Type A 0	TOTAL DEATHS Crude Death Ra	ate	175 1, 012	Selected Underlying Cause Heart Disease (total) Ischemic heart disea	Deaths 59 ase 42	Rate 341 243		
Hepatitis Type B** 0 Hepatitis NANB/C <5 Legionnaire's 0	Age 1-4 5-14	Deaths 1	Rate	Cancer (total) Trachea/Bronchus/Lur Col orectal	49 ng 13 8	283		
Lyme <5 Measles 0 Meningitis, Aseptic 0	15-19 20-34 35-54	1 11	· ·	Female Breast Cerebrovascular Disease Lower Resp. Disease	4			
Meningitis, Bacterial 0 Mumps 0 Pertussis 0 Salmonellosis <5	55-64 65-74 75-84 85+	18 29 48 67	2, 147 4, 905 16, 746	Pneumonia & Influenza Accidents Motor vehicle Diabetes	3 1	· ·		
Shi gel I osi s 0 Tubercul osi s 0	Infant	07	10, 740	Infect. /Parasitic Dis Suicide	s. 1 3			
 * 2003 provisional data. ** Includes all positive HBsAg test results. 	Mortality Total Infant Neonatal	Deaths		* Based on female pop ALCOHOL AND DRUG ABUS		'I NG		
Sexually Transmitted Disease	Postneonatal Unknown			OR CONTRIBUTING CA	AUSE OF DEATH			
Chl amydi a Trachomatis 34 Geni tal Herpes 5 Gonorrhea <5	Race of Mother White Black		·	Alcohol Other Drugs Both Mentioned * Includes tobacco us	25* 3 se (see page			
Syphilis 0	Hi spani c Laoti an/Hmong			MOTOR VEHIC				
I MMUNI ZATI ONS	Birthweight			Note: These data are of crash, not	on residence).		
Children in Grades K-12 by Compliance Level Compliant 2,951	1,500-2,499 gm 2,500+ gm Unknown			Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons Pe Injured K 195	ersons (illed 2		
Compliance Level Compliant 2,951 Non-compliant 14 Percent Compliant 99.5	Perinatal Mortality	Deaths	Rate	With Citation:	16	0		
	Total Perinatal Neonatal Fetal			For Speeding Motorcyclist Bicyclist Pedestrian	32 13 2	0 1 0		
				Pedéstrian	5	0		

DISEASE / AGE GROUP N	lumber	Per 1, 000 Pop	Average Stay (Days)	Average	2003 HOSP Charge Per Capi ta	DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta
nj ury-Rel ated: <i>R</i>	d I					Al cohol -Rel ated					
Total	150	8. 7	4. 4	\$20, 308	\$176	Total	24	1. 4	3. 6	\$7, 754	\$11
	11					18-44	11			. ,	
18-44	35	6. 0	4. 3	\$29, 948	\$180	45-64	12				
45-64 65+	40	8. 6	5. 0	\$19, 901	\$170	Pneumonia and I	nfl uenza				
65+	64	23. 4	4. 6	\$17, 234	\$404	Total	96	5. 6	3. 7	\$8, 776	\$49
Injury: Hip Fra	cture			•	•	<18	12				
Total	14					45-64	15				
65+	11					65+	64	23. 4	4. 0	\$9, 609	\$225
Injury: Poisoni	ngs					Cerebrovascul ar	Di sease				
Total	1 0					Total	51	3. 0	3. 3	\$8, 740	\$26
18-44	4					45-64	10				
						65+	41	15. 0	3. 4	\$8, 454	\$127
Psychi atri c						Chronic Obstruc	tive Pulm	onary D	i sease		
Total	92	5. 3	8. 1	\$9, 241	\$49	Total	43	2. 5	3. 2	\$7, 821	\$19
<18	13					<18	6			. , -	
18-44	57	9.8	8. 2	\$8, 977	\$88	18-44	6				
45-64	17					45-64	8				
65+	5					65+	23	8. 4	3. 9	\$9, 401	\$79
	•	·	•	•	•	Drug-Rel ated		٠	U. 7	<i>ψ1</i> / .σ.	4
Coronary Heart Di	sease					Total	6		_		_
Total	110	6. 4	3. 9	\$28, 530	\$182	18-44	3				
	41	8. 8		\$30, 843	\$270						
65+	67	24. 5		\$27, 778	\$682	Total Hospitali	zati ons				
	0.	0		42.7.7.0	+552	Total	2.045	118. 3	3. 6	\$11, 340	\$1,342
Malignant Neoplas	ms (Ca	ncers):	ALI			<18	321	79. 2	2.9	\$4, 938	\$391
Total	81	4. 7	4.4	\$15, 929	\$75	18-44 45-64	516	88. 6	3. 1	\$8, 800	\$780
18-44	3			+.0,7=7		45-64	411	87. 9		\$16, 392	\$1,440
Total 18-44 45-64	38	8. 1	4. 1	\$16, 524	\$134	65+	797	292. 0		\$12, 959	\$3, 784
65+	40	14. 7	5.0	\$16, 126	\$236			_/ 0	0	+ . = /	40,70.
Neoplasms: Fema		ast (ra	tes for	female po	pulation)	PR	EVENTABLE	HOSPI T	ALI ZATI (ONS*	
Total	6					Total	313	18. 1	3. 6	\$8, 672	\$157
Neoplasms: Colo		1	•	•	•	<18	29	7. 2	2. 1	\$5, 325	\$38
Total	10			_	_	18-44	35	6. 0		\$11, 815	\$71
65+	9	•		•	•	45-64	54	11. 5	3. 5	\$8, 558	\$99
Neoplasms: Lung		•	•	•	•	65+	195	71. 4	3. 6	\$8, 636	\$617
Total	12						170	7 1 . 1	0.0	ψο, σσσ	ΨΟΙ
Di abetes						* Hospitalizations ambulatory care ca	for cond	li ti ons	where ti	mely and	effecti v
Total	28	1. 6	2. 9	\$7, 917	\$13	ambulatory care ca	n reduce	the lik	el i hood	of hospi	talizatio
65+	9			-		i				•	